

Material Safety Data Sheet RUST VETO 342

1. Chemical Product and Company Identification

Product Name	RUST VETO 342	Emergency Phone Number	24 HOUR - (800) 424-9300 (CHEMTREC)
Company Name	Houghton International Inc. Madison & Van Buren Aves Valley Forge, PA 19482	FAX	(610) 666-1376
Website	www.houghtonintl.com	Customer Service	(888) 459-9844
Telephone	(610) 666-4000		

2. Hazardous Ingredients			
Component	Cas No	% by Weight	Hazards
Aliphatic Petroleum Solvent	64742-47-8 64742-88-7	30-60	TLV: 100 ppm PEL: 500 ppm
Hexylene Glycol	107-41-5	1-10	TLV: 25 ppm - ceiling PEL: N/E

N/E - Not Established; N/A - Not Applicable; Mfr - Manufacturer Recommendation

3. Hazards Identification		
Primary Entry Routes	EYES, SKIN, INHALATION	
Acute Effects		
Inhalation	INHALATION OF VAPORS IN EXCESS OF THE TLV MAY CAUSE HEADACHE, DIZZINESS, OR NAUSEA.	
Eye	MAY BE A MODERATE EYE IRRITANT.	
Skin	PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION OR HAVE A DEFATTING EFFECT ON THE SKIN.	
Ingestion	INGESTION MAY CAUSE NAUSEA OR DISCOMFORT. ASPIRATION MAY CAUSE LUNG DAMAGE.	
Carcinogenicity	THIS PRODUCT DOES NOT CONTAIN ANY COMPONENT REPORTABLE AS A CARCINOGEN UNDER 29 CFR 1910.1200.	
Medical Conditions Aggravated by LongTerm Exposure	PRE-EXISTING SKIN AND RESPIRATORY CONDITIONS MAY BE AGGRAVATED BY EXPOSURE.	
Chronic Effects	SEE EFFECTS ABOVE.	
04040000	Page 1	



Material Safety Data Sheet RUST VETO 342

3. Hazards Identification - continued

Н	Μ	IS:
		· • ·

Health	1
Flammability	2
Physical Hazard	0

* indicates that there may be chronic health effects present

4. First Aid Measures	
Inhalation	IF INHALED, REMOVE TO A SOURCE OF FRESH AIR.
Eye Contact	FLUSH EYES WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN.
Skin Contact	WASH SKIN WITH SOAP AND WATER. APPLY SKIN CREAMS. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSING. CONSULT PHYSICIAN IF IRRITATION PERSISTS.
Ingestion	IF INGESTED, DO NOT INDUCE VOMITING! CONSULT PHYSICIAN.
Note to Physicians	NO SPECIFIC ANTIDOTE KNOWN. BASED ON INDIVIDUAL REACTIONS OF THE PATIENT, THE PHYSICIAN'S JUDGMENT SHOULD BE USED TO CONTROL SYMPTOMS AND CLINICAL CONDITIONS.

N/A - Not Applicable

5. Fire Fighting Measures	
Flash Point	105°F / 40°C
Method Used	TAG CLOSED CUP
Autoignition Temperature	N/D
LEL	N/D
UEL	N/D
Extinguishing Media	USE CARBON DIOXIDE, DRY CHEMICAL OR FOAM. WATER MAY BE INEFFECTIVE TO FIGHT FIRES. USE WATER TO COOL CONTAINERS EXPOSED TO FIRE.
Unusual Fire or Explosion Hazards	VAPOR ACCUMULATION MAY FLASH OR EXPLODE IF IGNITED.



Material Safety Data Sheet RUST VETO 342

5. Fire Fighting Measures - continued	
Fire Fighting Instructions	WEAR FULL PROTECTIVE GEAR INCLUDING AIR-PACK WITH FULL FACEPIECE, ESPECIALLY IN CONFINED AREAS. USE WATER TO COOL CONTAINERS EXPOSED TO FIRE.
NFPA:	
Health	1
Flammability	2
Reactivity	0
Special	N/A

N/A - Not Applicable; ND - Not Determined; > - Greater Than; < - Less Than

6. Accidental Release Measures	
Spill or Release Procedures	ELIMINATE ALL SOURCES OF IGNITION. PROVIDE VENTILATION. APPLY DRY ABSORBENT MATERIAL AND SWEEP UP THOROUGHLY. PLACE IN A SUITABLE CONTAINER FOR DISPOSAL.

7. Handling and Storage	
Handling Precautions	AVOID CONTACT WITH EYES, SKIN AND CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. PROPERLY GROUND ALL EQUIPMENT.
Storage Requirements	DO NOT STORE NEAR SOURCES OF HEAT, OPEN FLAMES OR SPARKS. KEEP CONTAINERS CLOSED WHEN NOT IN USE. EMPTY CONTAINERS MAY CONTAIN HAZARDOUS VAPORS AND RESIDUE AND THEREFORE RETAIN ALL HAZARDS.

8. Exposure Controls/Personal Protection	
Engineering Controls	PROVIDE GENERAL AND/OR LOCAL EXHAUST VENTILATION TO MAINTAIN AIRBORNE CONCENTRATIONS BELOW THE EXPOSURE LIMITS IN SECTION 2.
Personal Protective Equipment	
Eye/Face Protection	WEAR SAFETY GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.
Skin Protection	USE RUBBER GLOVES AND LONG SLEEVES TO MINIMIZE SKIN EXPOSURE. USE APRON OR OVERALLS IF SPLASHING IS POSSIBLE.



Material Safety Data Sheet RUST VETO 342

8. Exposure Controls/Personal Protection - continued

Respiratory Protection	IF THE EXPOSURE LIMITS ARE EXCEEDED, USE A CHEMICAL CARTRIDGE RESPIRATOR WITH AN ORGAINC VAPOR CARTRIDGE OR SUPPLIED AIR RESPIRATOR IN ACCORDANCE WITH 29CFR1910.134.
Other	EYEWASH AND SAFETY SHOWER RECOMMENDED.
Comments	USE OF GLOVES AND OTHER SKIN PROTECTION DEPENDS ON THE DURATION OF EXPOSURE AND THE TASK BEING PERFORMED. IF NECESSARY, USE CHEMICALLY RESISTANT GLOVES SUCH AS NEOPRENE, NITRILE OR EQUIVALENT MATERIALS.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, or applying cosmetics.

9. Physical and Chemical Properties LIGHT BROWN FLUID Appearance Water Solubility NEGLIGIBLE Odor **MINERAL SPIRITS Boiling Point** > 300°F Vapor Pressure N/D Freezing/ Melting N/A (mmHg) Point Vapor Density N/D **Evaporation Rate** < 1 (Air = 1)(BuAc = 1)Specific Gravity 0.874 (Water = 1) pH (Neat) N/A

N/D - Not Determined; N/A - Not Applicable; > - Greater Than; < - Less Than

10. Stability and Reactivity		
Stability	THIS PRODUCT IS STABLE AT ROOM TEMPERATURE IN CLOSED CONTAINERS UNDER NORMAL STORAGE AND HANDLING CONDITIONS.	
Chemical Incompatibilities	AVOID CONTACT WITH STRONG OXIDIZERS.	
Hazardous Decomposition Products	THERMAL: OXIDES OF CARBON	
Hazardous Polymerization	HAZARDOUS POLYMERIZATION WILL NOT OCCUR.	



Revision Date : 12/02/2009

Material Safety Data Sheet RUST VETO 342

11. Toxicological Information

NO DATA AVAILABLE

12. Ecological Information

NO DATA AVAILABLE

13. Disposal Considerations

Disposal	FOLLOW PERTINENT REGULATIONS FOR DISPOSAL. IT IS THE RESPONSIBILITY OF THE PRODUCT USER TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER A MATERIAL CONTAINING THE PRODUCT OR DERIVED FROM THE PRODUCT SHOULD BE CLASSIFIED AS A HAZARDOUS WASTE. (40 CFR 261.20-24)
RCRA Hazardous Waste Number	D001 (IGNITABILITY)

14. Transportation Information

Proper Shipping Name	NON-BULK GROUND - NOT HAZARDOUS
	BULK GROUND - NA 1993, COMBUSTIBLE LIQUID, N.O.S. , III.
	AIR & IMO - PETROLEUM DISTILLATES, N.O.S., 3, UN 1268, III.

15. Regulatory Information		
TSCA Section 8(b)	ALL OF THE COMPONENTS IN THIS PRODUCT ARE ON THE TSCA INVENTORY.	
DSL	ALL OF THE COMPONENTS IN THIS PRODUCT ARE ON THE CANADIAN DSL. THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL OF THE INFORMATION REQUIRED BY THE CPR.	
CERCLA Reportable Quantity	NONE	
SARA Title III, Section 313	THIS PRODUCT CONTAINS NO TOXIC CHEMICAL SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.	



Material Safety Data Sheet RUST VETO 342

15. Regulatory Information - continued		
SCAQMD	THIS PRODUCT IS NOT TO BE USED IN CALIFORNIA'S SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT BECAUSE IT DOES NOT COMPLY WITH RULE 1144.	
Ozone Depleting Substances	THIS PRODUCT WAS NOT MANUFACTURED, DOES NOT CONTAIN, AND WAS NOT PACKAGED USING ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCE AS DEFINED BY THE CLEAN AIR ACT.	
WHMIS	B3, D2B	
16. Other Information		
Prepared By	GARY CARL	
Title	MANAGER, PRODUCT SAFETY	

Disclaimer: The information presented herein has been compiled from sources considered to be dependable and is accurate as of the date issued. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use are beyond our control, Houghton International makes no warranty regarding the accuracy of such data or its suitability for any purchaser's use or for any consequence of its use. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser and the purchaser has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. Houghton International assumes no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.